

挫氏

UTAH

方塊氈手冊

UTAH

Utah rectangular formation sandstone formed during Pennsylvanian period (300 million years ago) from layers of shale, coal, limestone and sandstone...







Utah - 500806



Utah - 500806



Utah - 500801+New Leaf, 500807+Rust




Utah - 500801+500803




Utah - 500805


UTAH




500801



500801+New Leaf




500802



500802+Sapphire



500803




500803+Cherry

Tile size : 50cm x 100cm, 25cm x 100cm (optional)

UTAH




500805



500805+Gold




500806



500806+Rust



500807



500807+Rust

Tile size : 50cm x 100cm, 25cm x 100cm (optional)

UTAH

結 構: High density Wovenloop
Construction

紗 線: 100% Nylon
Yarn

針 距: 1/11"
Gauge

平均絨高: 8.0mm ± 0.5mm
Average Pile Height

染色方式: Solution Dyed
Dyeing Method

面層處理: 80% post-consumer PET bottles
Surface Treatment

防 靜 電: AATCC-134 ≤3.5V GB/T 18044-2008
Anti-static

阻燃測試: ASTM E 648 Class I, GB8624-2012 B1(C) Passes
Flame Retardant

色牢度測試: To Dry & Wet Rubbing: ≥Class 4 / To Sun Light: ≥Class 4
Color Fastness Test

環保檢測: TVOC GB18587-2001A, CRI Plus
Environmental Testing

尺 寸:250*1000mm/500*1000mm
Dimensions

夾 層: Permanent Stain Resistance
Interlayer

底 背: PVC with Fiberglass
Backing

品質標准: GB 18587-2001 Pass
Quality Standard

鋪設方向
Installation Methods :

